

Knysna

Municipality - Munisipaliteit uMusipala

MUNICIPAL REPOVATIVE INSPIRED

TENDER DOCUMENT

TENDER NUMBER: TENDER DESCRIPTION:		T14 of 2020/21		
		SUPPLY AND DELIVERY OF PLUMBING MATERIAL FOR A PERIOD OF THREE (3) YEARS		
CLOSING TIME: 12H00		CLOSING DATE:	16 SEPTEMBER 20	
Tender Box at: SUPPLY CHAIN MANAGEMENT UNIT FINANCE BUILDING, QUEEN STREET KNYSNA 6570		NB:		
Name of Bidder:		KINGPIN SUPPLI	ERS (Pry)LTD	
Tendered Amount:		VARIALES Pa	The second second second	
B-BBEE Status Level Contributor:	of	LEVEL 4		
Preference Points Cla	med:	12	1950	
CSD Supplier number		MAAA 0609 5	515	
SD Unique reference number		89eca-590-d430-48ac-8376-df38abd3		
-BBEE certificates subn ERTIFICATES or VALID	والمستفتين الممكاثة	id document MUST be VALID		

78d

NAME OF ENTE	RPRISE:	KINGPIN	Supr	PLIERS (PTY) LTD
NAME (PRINT):	NOLI		ULIANA	_	
CAPACITY:	DIRE	ECTOK		DATE:	05.08.2020
SIGNATURE		TOTAL TOTAL STATE OF THE STATE	WITNESS 1	Olson	
OIOINA, ORL		+4		WITNESS 2	B

MBD 7.1

1. CONTRACT FORM - PURCHASE OF GOODS/WORKS

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SUCCESSFUL BIDDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SUCCESSFUL BIDDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

2. PART 1 (TO BE FILLED IN BY THE BIDDER)

- 1. I hereby undertake to supply all or any of the goods and/or works described in the attached bidding documents to (name of institution). HNGPIN SUPPLIERS (PT) in accordance with the requirements and specifications stipulated in bid number 114. 2020/21 at the price/s quoted. My offer/s remain binding upon me and open for acceptance by the purchaser during the validity period indicated and calculated from the closing time of bid.
- 2. The following documents shall be deemed to form and be read and construed as part of this agreement:
 - (i) Bidding documents, viz
 - Invitation to bid:
 - Tax clearance certificate;

- Pricing schedule(s);
- Technical Specification(s);
- Preference claims for Broad Based Black Economic Empowerment Status Level of Contribution in terms of the Preferential Procurement Regulations 2017:
- Declaration of interest;
- Declaration of bidder's past SCM practices;
- Certificate of Independent Bid Determination;
- Special Conditions of Contract;
- (ii) General Conditions of Contract; and
- (iii) Other (specify)
- 3. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the goods and/or works specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.
- 4. I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfilment of this contract.
- 5. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.
- 6. I confirm that I am duly authorised to sign this contract.

NAME (PRINT)

CAPACITY

DIRECTOR

WITNESSES

SIGNATURE

NAME OF FIRM

DATE

DIRECTOR

WITNESSES

WITNESSES

OS:08:2020

CONTRACT FORM - PURCHASE OF GOODS/WORKS

3. PART 2 (TO BE FILLED IN BY THE PURCHASER)

as. ActiNity MuniciPal Mana Gent accept your bid under reference number. 11 120 121. dated. 97 07 2021. for the supply of goods/works indicated hereunder and/or further specified in the annexure(s).

- 2. An official order indicating delivery instructions is forthcoming.
- I undertake to make payment for the goods/works delivered in accordance with the terms and conditions of the contract, within 30 (thirty) days after receipt of an invoice accompanied by the delivery note.

	ahiya san na				
4. SECTION NO.	PRICE (ALL APPLICABLE TAXES INCLUDED)	5. BRAND	DELIVERY PERIOD	B-BBEE STATUS LEVEL OF CONTRIBUTION	MINIMUM THRESHOLD FOR LOCAL PRODUCTION AND CONTENT (If applicable)
SECTION 1: SEWER AND DRAIN UPVC				American de la companya de la compan	
FITTINGS			B-(T-)***********************************		AND STATE OF THE PARTY OF THE P
SECTION 2: PLASON FITTINGS					
SECTION 3: POLYCOP PIPE					
SECTION 4: CONCRETE MANHOLE RINGS & SLABS					
SECTION 5: POLYMER PRODUCTS				(Magazardi san san	appen 17 plays
VALVE SECTION 6 PRECAST CHAMBERS (Concrete)	5				Note that the second se
SECTION 7 BRASS WATER METERS & TAILPIECES & FIBRE WASHERS		97	7700	7777	
SECTION 8 COMBINATION METER & STRAINERS				and the second s	To the continue of the continu
SECTION 9 PLASTIC BODIED WATER METER IN PVC					
BOX (KSM) WITH LOCKING DEVICE	,				T and a second
SECTION 10 PRESSURE REDUCING VALVES (FLANGED)					
SECTION 11 PUSHFIT PLAIN ENDED VALVES					44-

-	An un common pagestern an commonweal		ent tringposs.		
SECTION 12				27,4444444	and the second s
GATE VALVES					
& LEVER BALL	.1				Portion of the Control of the Contro
VALVES					
SECTION 13		***************************************	non Marine egiptinings	an ann ann an an an	The second secon
COUPLINGS,					
TEES,	•				
ELBOWS CTC					•
COBRA	Actorisan ner	and designate			
SECTION 14	5				
TAPS &			***		
STOPCOCKS					
SECTION 15			. motors		
PVC (PLASTIC)					Andrews
TAPS					
SECTION 16				· ·	
		1		***************************************	Ť
FLANGE					2
				1	
ADAPTORS-		ş			To a second
PLAIN ENDED	Approximately Ap		anakat bisirihanniksikkinn mastafiyyani teek sa caaaaa	8	
SECTION 17			Lab.		
1. BULK			age of the second		
WATER					
METERS					
2.					
INTER					
NAL					
	1				
I WELDANISMS	and the same of th				1
MECHANISMS SECTION 18			-	* 100a - 660	
SECTION 18	0	AV AV		+100-400	
SECTION 18	R 109.25	Honey well	10 00 15	4	
SECTION 18 CONSUMER	R 109.25	Honey well	0 - 15 da 5	4	
SECTION 18	R 109.25	Honeywell	10-15 da 5	4	
SECTION 18 CONSUMER	R 109.25	Honeywell	10-15 days	4	
SECTION 18 CONSUMER VALVE BOX	R 109.25	Honeywell	10-15 days	4	
SECTION 18 CONSUMER VALVE BOX	R 109.25	Honeywell	10-15 days	4	
SECTION 18 CONSUMER VALVE BOX SECTION 19	R 109.25	Honey well	10-15 days	4	
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY	R 109.25	Honeywell	10-15 days	4	
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE	R 109.25	Honeywell	10-15 days	4	
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY	R 109.25	Honey well	10-15 days	4	
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE	R 109.25	Honey well	10-15 das	4	
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE)	R 109.25	Honey well	10-15 das	4	
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20	R 109.25	Honey well	10-15 das	4	
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20 HIGH	R 109.25	Honey well	10-15 das	4	
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20 HIGH DENSITY	R 109.25	Honey well	10-15 das	4	
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20 HIGH DENSITY POLYETHYLE	R 109.25	Honey well	10-15 das	4	
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20 HIGH DENSITY POLYETHYLE NE PIPES	R 109.25	Honey well	10-15 das		
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20 HIGH DENSITY POLYETHYLE NE PIPES (HDPE)	R 109.25	Honey well	10-15 da 5		
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20 HIGH DENSITY POLYETHYLE NE PIPES (HDPE) NE PIPES (HDPE) 50M ROLLS	R 109.25	Honey well	10-15 da 5		
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20 HIGH DENSITY POLYETHYLE NE PIPES (HDPE)	R 109.25	Honey well	10-15 da 5		
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20 HIGH DENSITY POLYETHYLE NE PIPES (HDPE) NE PIPES (HDPE) PER 50M ROLLS SECTION 21	R 109.25	Honey well	das		
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20 HIGH DENSITY POLYETHYLE NE PIPES (HDPE) SECTION 21 PVC	R 109.25	Honey well	10 ~ 15 da 5		
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20 HIGH DENSITY POLYETHYLE NE PIPES (HDPE) PER 50M ROLLS SECTION 21 PVC PRESSURE	R 109.25	Honey well	10 ~ 15 da 5		
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20 HIGH DENSITY POLYETHYLE NE PIPES (HDPE) PER 50M ROLLS SECTION 21 PVC PRESSURE PIPES	R 109.25	Honeywell	10 ~ 15 da 5		
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20 HIGH DENSITY POLYETHYLE NE PIPES (HDPE) PER 50M ROLLS SECTION 21 PVC PRESSURE	R 109.25	Honeywell	10 ~ 15 da 5		
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20 HIGH DENSITY POLYETHYLE NE PIPES (HDPE) PER 50M ROLLS SECTION 21 PVC PRESSURE PIPES SECTION 22	R 109.25	Honeywell	10 ~ 15 dais		
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20 HIGH DENSITY POLYETHYLE NE PIPES (HDPE) PER 50M ROLLS SECTION 21 PVC PRESSURE PIPES SECTION 22 TEES (CAST	R 109.25	Honeywell	10 ~ 15 dais		
SECTION 18 CONSUMER VALVE BOX SECTION 19 HIGH DENSITY POLYETHYLENE PIPES (HDPE) SECTION 20 HIGH DENSITY POLYETHYLE NE PIPES (HDPE) PER 50M ROLLS SECTION 21 PVC PRESSURE PIPES SECTION 22	R 109.25	Honeywell	10 ~ 15 dais		

SECTION 23	Oberhand Scholar				Î.
	1		illi-		
REDUCERS			and on the state of the state o		
CL.16 (CAST					Participant of the Control of the Co
SECTION 24		and of the second of the secon	1 **	-	ecological and control
					<u>t</u>
REPAIR CLAMS				¥	
SECTION 25			do necoció estraposo. To colo		Miles Williams
				MACON TO A STATE OF THE STATE O	
FITTINGS FOR				44	
ASBESTOS CEMENT				에 이 이 이 이 이 이 이 이 이 이 이 이 이 이 이 이 이 이 이	
PIPES			**************************************		
SECTION 26			7		
VALVES AND			70		
FITTINGS			OPPORTED A		***
SECTION 27	[METAPO Profited an Advanced	-	
COMPRESSIO			-		
N FITTINGS	\$,	§
(AS USED					
WITH HDPE					Annual
SECTION 28	+16 ************************************				_
					3
WIDE RANGE REPAIR				3	
COUPLINGS					
SECTION 29		***************************************	***************************************	**************************************	hannen hanna kana kana kana kana kana kana ka
GALVANISED					1
ERW STEEL					
TUBE-SANS 62		***************************************		r Age	
SECTION 30				9900 1900 000	
THREADED:					
GALVANIZED					
STEEL FORGED				The state of the s	annua.
FLANGES -	3				e
BOSSED	***************************************				
SECTION 31		1			ė de la
TOILET	***	Î			
MECHANISMS	The second secon				
AND ACCESSORIES	and the second			the amproved	200
SECTION 32	***************************************			MATTERN S PART	managata, Haranyan
				***************************************	ž.
MICCELLANIEC					1
PLUMBING			· ·		
MISCELLANEO US ITEMS FOR				Salata sa	

SECTION 33			#*************************************	Address - Addres	4,000
BOLTS, NUTS AND WASHERS		· Managar			
SECTION 34	110000000000000000000000000000000000000			influent sphrass and annual	hret specific management and the state
DIAPHRAGM CONTROL PRESSURE REDUCING VALVES					
SECTION 35	***************************************	and the state of t		#BM1000004864*******************************	amphilipsonsprinted house of "associationance last
SEWER PIPES AND FITTINGS			***************************************		
SECTION 36				2000000	
SEWER SANITISERS AND DRAIN CLEANERS				Try annual control	

4. I confirm that I am duly authorized to sign this contract.	
SIGNED AT KNYSWA ON 24 No	NEUBER 2021
NAME (PRINT) J. J. Adoms	
SIGNATURE	
OFFICIAL STAMP	WITNESSES
	1.
	2.